FORM PTO-1449 U.S. Department of Commerce (REV. 8-83) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		ATTY. DOCKET: 2003080-0138 (SK-744-CON8)	IN RE APPLICATION NO.: Unassigned		
		APPLICANT: Danishefsky et al FILING DATE: GROUP: October 28, 2003		·	
U.S. PATENT DOCUMENTS					
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
	*6,090,601	Gustafsson	July 18, 2000	435	183
	*6,096,757	Bishop	August 1, 2000	514	290
	*6,117,659	Ashley	September 12, 2000	435	155
	*6,121,029	Schupp	September 19, 2000	435	183
	*6,211,412	Georg	April 3, 2001	568	309
	*6,221,641	Khosla	April 24, 2001	435	193
	*6,251,636	Betlach	June 26, 2001	435	76
	*6,262,107	Li	July 17, 2001	514	449
	*6,280,999	Gustafsson	August 28, 2001	435	252.3
	*6,407,103	Nugiel et al.	June 18, 2002	514	232.8
	*6,489,314	Ashley et al.	December 3, 2002	514	183
	*6,498,257	Vite et al.	December 24, 2002	548	205
	*6,515,017	Li et al.	February 4, 2003	514	449
	*6,518,421	Li et al.	February 11, 2003	540	462
	*6,525,197	Furstner et al.	February 25, 2003	544	310
	*6,531,497	Nicolaou et al.	March 11, 2003	514	370
	*6,537,988	Lee	March 25, 2003	514	221
	*6,538,038	Pero et al.	March 25, 2003	514	731
	*6,544,544	Hunter et al.	April 8, 2003	424	424
	*6,576,651	Bandyopadhyay et al.	June 10, 2003	514	365
	*6,593,115	Vite et al.	July 15, 2003	435	134
	*6,596,875	White et al.	July 22, 2003	548	204
	*6,603,015	Georg et al.	August 5, 2003	548	203
	*6,603,023	Danishefsky et al.	August 5, 2003	549	346
	*6,605,599	Vite et al.	August 12, 2003	514	63
	*6,605,726	Mulzer et al.	August 12, 2003	548	202
	*6,610,736	Klar et al.	August 26, 2003	514	450
	*6,613,912	Hoefle et al.	September 2, 2003	548	204

FORM PTO (REV. 8-83)		Department of Commerce at and Trademark Office	ATTY. DOCKET: 2003080-0138	IN RE APPLICA	TION NO.:
		2.2 . 2	(SK-744-CON8) Unassigned		ed
INFORMAT	INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al		
(Use s	several sheets if necess	eary)	FILING DATE:	GROUP:	
_			October 28, 2003		
U.S. PATEN	T APPLICATIONS				
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
	*2002/0086812	Schweinfest et al.	July 4, 2002		
	*2002/0091269	Avery	July 11, 2002		
	*2002/0094991	Gallaher	July 18, 2002		
	*2002/0115686	Hoogevest	August 22, 2002		
	*2002/0119202	Hunter et al.	August 29, 2002		
	*2002/0137152	Santi et al.	September 26, 2002		
	*2002/0147197	Newman et al.	October 10, 2002		
	*2002/0156110	Arslanian et al.	October 24, 2002		
	*2002/0156289	Georg et al.	October 24, 2002		
	*2002/0164377	Hunter et al.	November 7, 2002		
	*2002/0165258	Lee	November 7, 2002		
	*2002/0165256	Hofmann et al.	November 7, 2002		
	*2002/0165257	Lee	November 7, 2002		
	*2002/0165265	Hunter et al.	November 7, 2002		
	*2002/0165415	Georg et al.	November 7, 2002		
	*2002/0169125	Leung et al.	November 14, 2002		
	*2002/0169135	Pardee et al.	November 14, 2002		
	*2002/0169190	Bandyopadhyay et al.	November 14, 2002		
=	*2002/0177615	Bandyopadhyay et al.	November 28. 2002		
	*2002/0192778	Schupp et al.	December 19, 2002		
	*2002/0193361	Ashley et al.	December 19, 2002		
	*2002/0197261	Li et al.	December 26, 2002		
	*2002/0198141	McChesney et al.	December 26, 2002		
	*2003/0105330	Danishefsky et al.	June 5, 2003		
	*2003/0109500	Pero et al.	June 12, 2003		
	*2003/0166507	Li et al.	September 4, 2003		
	*2003/0158412	Westermann et al.	August 21, 2003		
	*2003/0149281	Westermann et al.	August 7, 2003		
	*2003/0147807	Li et al.	August 7, 2003		
					

Iwasaki et al.

July 31, 2003

*2003/0144533

FORM PTO-		Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	(REV. 8-83) Patent and Trademark Office		2003080-0138	APPLICATION NO.: Unassigned
INFODMATI	ON DISCLOSUDE	OT A TEMENIT	(522 / 1.001/0)	
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		APPLICANT: Danishef	<u> </u>	
(Ose se	(Ose several sneets of necessary)		FILING DATE:	GROUP:
	*2002/0144522	T71 . 1	October 28, 2003	
	*2003/0144523	Klar et al.	July 31, 2003	
	*2003/0139460	Schwede et al.	July 24, 2003	
	*2003/0134883	Myles et al.	July 17, 2003	
100	*2003/0130178	Li et al.	July 10, 2003	
	*2003/0130170	Li et al.	July 10, 2003	
	*20003/0124055	Li et al.	July 3, 2003	
~~~	*2003/0125362	Danishefsky	July 3, 2003	
	*2003/0113335	Li et al.	June 19, 2003	
	*2003/0114363	Li et al.	July 3, 2003	
	*2003/0114450	Santi et al.	June 19, 2003	
	*2003/0114504	Webster et al.	June 19, 2003	
	*2003/0114518	Li et al.	June 19, 2003	
	*2003/0096381	Julien et al.	May 22, 2003	
	*2003/0087888	Regueiro-Ren et al.	May 8, 2003	
	*2003/0073677	Lee	April 17, 2003	
	*2003/0073617	Li et al.	April 17, 2003	
	*2003/0073615	Li et al.	April 17,. 2003	
	*2003/0073205	Arslanian et al.	April 17, 2003	
	*2003/0069277	Danishefsky et al.	April 10, 2003	
	*2003/0060623	Vite et al.	March 27, 2003	
	*2003/0054977	Kumar et al.	March 20, 2003	
	*2003/0049841	Short et al.	March 13, 2003	
	*2003/0045711	Ashley et al.	March 6, 2003	
	*2003/0036515	Pardee et al.	February 20, 2003	
	*2003/0036177	Strohhacker	February 20, 2003	
	*2003/0023082	Ashley et al.	January 30, 2003	
	*2003/0004338	Li et al.	January 2, 2003	
	*2003/0004209	Hunter et al.	January 2, 2003	
	*2003/0003094	Hunter et al.	January 2, 2003	
FOREIGN PA	TENT DOCUMEN	ΓS		
Examiner's	Document No.	Country	Date	Translation
Initials				Yes No

	Department of Commerce at and Trademark Office	ATTY. DOCKET: 2003080-0138	IN RE APPLICATION NO.: Unassigned
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		(SK-744-CON8)	<del></del>
		APPLICANT: Danishe	<del></del>
		FILING DATE: October 28, 2003	GROUP:
*DE 41 38 042	Germany	19 November 1991	
*DE 41 38 042	Germary	19 November 1991	
*DE 196 07 702	Germany	29 February 1996	
*DE 196 36 343	Germany	30 August 1996	
*DE 196 38 870	Germany	23 September 1996	
*DE 196 47 580.5	Germany	18 November 1996	
*DE 197 01 758	Germany	20 January 1997	
*DE 197 07 506.1	Germany	25 February 1997	
*DE 197 13 970	Germany	04 April 1997	
*DE 197 20 312	Germany	15 May 1997	
*DE 197 26 627	Germany	17 June 1997	
*DE 197 35 574	Germany	09 August 1997	
*DE 197 35 575	Germany	09 August 1997	
*DE 197 35 578	Germany	09 August 1997	
*DE 197 44 135	Germany	29 September 1997	
*DE 197 49 717	Germany	31 October 1997	
*DE 197 51 200	Germany	13 November 1997	
*DE 198 13 821	Germany	20 March 1998	
*DE 198 21 954	Germany	15 May 1998	
*DE 198 33 750	Germany	16 July 1998	
*DE 198 46 493	Germany	09 October 1998	
*DE 198 30 060	Germany	30 June 1998	
*DE 198 49 464	Germany	21 October 1998	
*DE 199 07 588	Germany	22 February 22, 1999	
*DE 199 08 763	Germany	18 February 1999	
*DE 199 08 765	Germany	18 February 1999	
*DE 199 21 086	Germany	30 April 1999	
*DE 199 23 001	Germany	13 May 1999	
*DE 199 30 111	Germany	01 July 1999	
*DE 199 54 228	Germany	04 November 1999	
*DE 199 54 230	Germany	04 November 1999	
*DE 100 51 136	Germany	16 October 2000	

FORM PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	e ATTY. DOCKET: 2003080-0138	IN RE APPLICATION NO.:
			Unassigned
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		APPLICANT: Danishefsky et al	
		FILING DATE:	GROUP:
		October 28, 2003	
*DE 100 15	836 Germany	27 March 2000	
*DE 100 20 :	517 Germany	19 April 2000	
*DE 100 20 8	899 Germany	20 April 2000	
*EP 1 275 64	Europe	15 January 2003	
*EP 1 201 66	66 Europe	02 May 2002	
*EP 1 201 66	66 Europe	05 February 2002	
*EP 1 186 60	06 Europe	13 March 2002	
*EP 1 121 36	Europe Europe	13 March 2002	
*EP 1 077 98	80 Europe	19 March 2003	
*EP 1 001 95	Europe	25 September 2002	
*EP 0 975 63	Europe	07 August 2002	
*EP 0 975 62	Europe	09 October 2002	
*EP 0 903 34	Europe		
*199 08 760	DE	24 August 2000	
*199 08 767	DE	19 October 2000	
*WO 03/070	170 PCT	13 February 2002	
*WO 03/057	830 PCT	17 December 2002	
*WO 03/057	217 PCT	13 January 2003	
*WO 03/053	949 PCT	23 December 2002	
*WO 03/049	734 PCT	19 June 2003	
*WO 03/045	324 PCT	05 June 2003	
*WO 03/042	217 PCT	22 May 2003	
*WO 03/029	260 PCT	10 April 2003	
*WO 03/029	195 PCT	10 April 2003	
*WO 03/026	744 PCT	03 April 2003	
*WO 03/018	002 PCT	06 March 2003	
*WO 03/014	068 PCT	20 February 2003	
*WO 03/014	063 PCT	20 February 2003	
*WO 03/0079	924 PCT	30 January 2003	
*WO 02/4619	96 PCT	13 June 2002	
*WO 02/4243	32 PCT	30 May 2002	
*WO 02/3284	44 PCT	16 October 2001	

	Department of Commerce	ATTY. DOCKET:	IN RE APPLICATION NO.:
(REV. 8-83) Pater	at and Trademark Office	2003080-0138 (SK-744-CON8)	Unassigned
INFORMATION DISCLOSURE	STATEMENT	APPLICANT: Danishe	
(Use several sheets if necessary)		FILING DATE:	GROUP:
		October 28, 2003	GROOF.
*WO 02/30356	PCT	15 October 2001	
*WO 02/098868	PCT	14 May 2002	
*WO 02/080846	PCT	17 October 2002	
*WO 02/074042	PCT	26 September 2002	
*WO 02/072858	PCT	27 February 2002	
*WO 02/072085	PCT	19 September 2002	
*WO 02/067941	PCT	06 September 2002	
*WO 02/066038	PCT	06 February 2002	
*WO 02/066033	PCT	29 August 2002	
*WO 02/062338	PCT	15 August 2002	
*WO 02/060904	PCT	08 August 2002	
*WO 02/058701	PCT	01 August 2002	
*WO 02/058700	PCT	01 August 2002	
*WO 02/058699	PCT	01 August 2002	
*WO 01/81342	PCT	19 April 2001	
*WO 01/81341	PCT	19 April 2001	
*WO 01/73103	PCT	23 March 2001	
*WO 01/70716	PCT	12 March 2001	
*WO 01/66154	PCT	09 March 2001	
*WO 01/64650	PCT	01 March 2001	
*WO 01/27308	PCT	06 October 2000	
*WO 01/10412	PCT	02 August 2000	
*WO 01/92255	PCT	06 December 2001	
*WO 01/83800	PCT	08 November 2001	
*WO 01/07439	PCT	24 July 2000	
*WO 00/71521	PCT	15 May 2000	
*WO 00/66589	PCT	01 May 2000	
*WO 00/58254	PCT	23 March 2000	
*WO 00/57874	PCT	20 March 2000	
*WO 00/50423	PCT	17 February 2000	
*WO 00/49021	PCT	18 February 2000	
*WO 00/49020	PCT	18 February 2000	

FORM PTO-1 (REV. 8-83)		Department of Commerce t and Trademark Office	ATTY, DOCKET: 2003080-0138	IN RE APPLICATION NO.:
(RE V. 0-03)	1 aton	t and Trademark Office	(SK-744-CON8) Unassigned	
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al		
		FILING DATE:	GROUP:	
		October 28, 2003	GROOT.	
	*WO 00/49019 PCT		18 February 2000	
	*WO 00/047584	PCT	11 February 2000	
	*WO 00/39276	PCT	21 December 1999	
· · · · · · · · · · · · · · · · · · ·	*WO 00/37473	PCT	20 December 1999	
	*WO 00/31247	PCT	19 November 1999	
	*WO 00/00485	PCT	30 June 1999	
	*WO 99/67253	PCT	21 June 1999	
_	*WO 99/67252	PCT	21 June 1999	
-	*WO 99/66028	PCT	16 June 1999	
<del></del>	*WO 99/65913	PCT	18 June 1999	
	*WO 99/59985	PCT	14 May 1999	
	*WO 99/58534	PCT	07 May 1999	
	*WO 99/54330	PCT	14 April 1999	
	*WO 99/54319	PCT	05 April 1999	
	*WO 99/54318	PCT	05 April 1999	
·	*WO 99/43653	PCT	24 February 1999	
***	*WO 99/43320	PCT	23 February 1999	
	*WO 99/42602	PCT	17 February 1999	
	*WO 99/39694	PCT	03 February 1999	
	*WO 98/54966	PCT	04 June 1998	
	*WO 98/47891	PCT		
***	*WO 98/25929	PCT	18 June 1998	
Examiner's Initials	Citation (Including	Author, Title, Date, Perting	ent Pages, Etc.)	
		al Synthesis of the Microtu		
	Some Nonnatural A <b>68</b> : 3026-3042, 200	analogues: The Power of Sl	narpless' Asymmedtric I	Epoxidation J. Org. Chem,
		oothilones and Related Stru	ctures – a new class of n	nicrotubule inhibitors with
	potent in vivo antitu	umor activity Elsevier Bioc	himica et Biophysica Ac	ta, 2000.
		Epothilones and Their Anal	ogs-Potential New Wear	ons in the Fight Against
	*Altmann, et al., "S		valuation of Highly Poter	nt Analogues of
	*Altmann, et al., "Synthesis and Biological Evaluation of Highly Potent Analogues of Epothilones B and D. <i>Bioorg. Med. Chem. Lett.</i> , <b>10</b> (24): 2765-2768, 2000.			

FORM PTO-1	U.S. Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:
` ′		(SK-744-CON8)	Unassigned
INFORMATI	ON DISCLOSURE STATEMENT	APPLICANT: Danishefsky et al	
(Use se	veral sheets if necessary)	FILING DATE:	GROUP:
		October 28, 2003	GROOT.
	*Altmann, et al., "Epothilones and Related Str	<u> </u>	licrotubule Inhibitors
	with Potent in vivo Antitumor Activity" Bioch		
	*Altmann, et al., "Synthetic and Semisynthetic		
	Biological Activity"		
	Book of Abstracts, 219 th ACS National Meeting 1999.	g, San Francisco, CA, Mai	rch 26-30, ORGN-287,
f	*Altmann, et al., "Synthesis and Biological Ev	aluation of Aza-Epothilor	nes" ChemBioChem
	(Angew. Chem. Int. Ed. Engl.), 1(1)/39(3): 67-	70, 2000.	
	*Altmann, et al., "Microtubule-Stabilizing Ag		Important Anticancer
	Drugs" Curr. Opin. Chem. Biol., 5(4): 424-43		
	*Appendino, et al., "The Synthesis of Epothilo 11(9): 678-696, 1998.		
	*Arslanian, et al., "A New Cytotoxic Epothilo		
	Heterologously Expressed in Myxococcus xa		
	*Avila, et al., "The Use of Microtubule Poison 1997.		. , ,
	*Awada, et al., New Cytotoxic Agents and Mo	lecular-Targeted Therapie	es in the Treatment of
	Metastatic Breast Cancer Review, 4-15, 2002.	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	*Baik, et al., Diastereoselective Cobalt-Cataly <i>J.Am.Chem.Soc.</i> , <b>123</b> : 5112-5113, 2001.		
	*Balog, et al., "A Novel Aldol Condensation v Improved Total Synthesis of Epothilone B", A		
	*Balog, et al., "Total Synthesis of Epothilone		
	*Bellemin-Laponnaz, et al., "The Kinetic Reso		
	Acylation Catalyst: Application to Natural Pro 2000.		
	*Bertinato, et al., "Studies Toward a Synthesis the Acyl Region and Models for Macrocycliza		
	*Beyer, et al., "Metabolic Diversity in Myxoba		
	195, 1999.	zicia Diocinii. Diop	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	*Biswas, et al., Highly Concise Routes to Epo Epothilone 490, J. Am. Chem. Soc., 124: 9825		esis and Evaluation of
	*Blum, et al., "In vivo Metabolism of Epothilo		inde Mice
	Identification of Three New Epothilone B Met		
	Chromatography/Mass Spectrometry/Tandem	, , , ,	±
	Spectrom., 15(1): 41-49, 2001.		
	*Bocci, et al., Protracted Low-Dose Effects on		
	Survival in Vitro Reveal a Selective Antiangio	genic Window for Various	s Chemotherapeutic
	Drugs  Cancer Personnel 62: 6028 6042 2002		
	Cancer Research, 62: 6938-6943, 2002.	on and Usidealsia A. O.	tolymod har the Text 4 1
	*Boddy, et al., Epothilone C. Macrolactonizati Thioesterase Domain of Epothilone Polyketide 2002.	e Synthase, J.Am. Chem. Soc	c., <b>125</b> : 3428-3429,

FORM PTO-14	U.S. Department of Commerce	ATTY, DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:
		(SK-744-CON8)	Unassigned
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al	
(Use sev	(Use several sheets if necessary)		GROUP:
	*Bode, et al., "Stereoselective Syntheses of Eg	October 28, 2003 pothilones A and B via Dir	ected Nitrile Oxide
	Cycloaddition"		
	J. Am. Chem. Soc., 123(15): 3611-3612, 2001.		
	*Bode, et al., Stereoselective Syntheses of Epo and Related Studies" J. Org. Chem., 66(19): 6		ile Oxide Cycloadditions
	*Bornscheuer, et al., "Directed Evolution of an		
	Key Intermediate in the Synthesis of Epothilor		
	*Borzilleri, et al., "A Novel Application of a F		
	to the Regio and Stereoselective Synthesis of I	Lactam Analogues of the I	Epothilone Natural
	Products"  J. Am. Chem. Soc., 122(37): 8890-8897, 2000.		
	*Broker, et al., Late Activation of Apoptotic P		e Role in Mediating the
	Cytotoxic Effects of Discodermolide and Epot		
	Cancer Research, <b>62</b> : 4081-4088, 2002.		
	*Brummond, et al "A Novel Application of a	Pd(0)-Catalyzed Nucleop	hilic Substitution
	Reaction to the Regio- and Stereoselective Sys	nthesis of Lactam Analogu	ies of the Epothilone
	Natural Products"		
	Chemtracts, 14(7): 401-404, 2001.	f' 1 1 C(1 1'1'-' A-	
	*Buck, et al., "Epothilones: A New Class of M Mechanism of Action, <i>Chemtracts</i> , 11: 671-67		ents with a Taxoi-Like
	*Carlomagno, et al., "The High-Resolution So		lone A Bound to
	Rubulin: An Understanding of the Structure-A		
	Antitumor Agents" Angew. Chem. Int. Ed., 42: 2		
	*Carlomagno, et al., "Derivation of Dihedral A		
	Correlated Relaxation Rates: A C-C Torsion I		bon Atom in Epothilone
	A Bound to Tubulin" Angew. Chem. Int. Ed., 42:		
	*Carreira, E., "Discovery and Study of New R		cations in Complex
	Molecule Assembly" <i>Chimia</i> , <b>55</b> (10): 818-820 *Casas, et al BINOLAM, a Recoverable Chimia		Fnantioselective
	Catalysis: The Asymmetric Synthesis of Cyan		
	*Chappell, et al., "En Route to a Plant Scale S Desoxyepothilone B" <i>Org. Letter.</i> <b>2</b> (11): 163:	ynthesis of the Promising	
	*Chen, et al "Epothilone Biosynthesis: Asse		vlcarboxy Starter Unit
	on the EpoB Subunit" Chem. Biol., 8(9): 899-		ylearboxy Starter Cint
	*Chevalier, Epothilones: A New Generation of		Compounds, 13-14.
	*Chou, Desoxyepothilone B is curative agains paclitaxel <i>Proc. Natl. Acad. Sci</i> , <b>95</b> : 15798-158		that are refractory to
	*Chou, et al., "The Synthesis, Discovery, and		Promising Class of
	Microtubule Stabilization Agents: Curative E Human Tumor Xenografts in Nude Mice" Pro	ffects of Desoxyepothilon	es B and F Against
	*Chou, et al., "Desoxyepothilone B: An Effica a Promising In Vivo Profile Relative to Epoth	acious Microtubule-Target	ed Antitumor Agent with
	a Fromishig in vivo Frome Keranye to Epoin	ione B, Froc. Nan. Acaa	DU., 73. 7042, 1770.

FORM PTO-144	9 U.S. Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:
(1427.0-03)	Tatent and Tracemark Office	(SK-744-CON8)	Unassigned
INFORMATION	N DISCLOSURE STATEMENT	APPLICANT: Danishefsky et al	
	al sheets if necessary)		
(22222		FILING DATE:	GROUP:
		October 28, 2003	
•	Chou, et al Desoxyepothilone B: An efficac		
	romising in vivo profile relative to epothilone Claus, E. et al., "Synthesis of the C1-C9 Segretary Segretary C1-C9 Segretary E. et al., "Synthesis of the C1-C9 Segretary Segre		
	8:8:1359-1362 (1997)	ment of Epotimones, Tett	anearon Leners
	Corey, et al., "Chemistry of Diimide. Some N	New Systems for the Hydro	ogenation of Multiple
	Sonds" Tetrahedron Lett. 347-352 1961.		. O
*	Correia, et al., "Physiochemical Aspects of T	ubulin-Interacting Antimi	totic Drugs" Curr.
	Pharm. Des., 7(13): 1213-1228, 2001.		
*	Cowden, et al., "Cancer Drugs-Better than Ta	axol? <i>Nature</i> , <b>387</b> : 238-23	9, 1997.
	Danishefsky, et al ,"Insights into Long-Ran		
1	Aldol Condensations: A Practical Total Synth	7 1	F"
	. Am. Chem. Soc., 123(22): 5249-5259, 2001.		
	Danishefsky, et al., "On the Interactivity of C		
	Orug Discovery Process: Total Synthesis and		luations of the 15-Aza
	Spothilones" <i>J. Org. Chem.</i> , 66(12): 4369-437 Danishefsky et al., "Chemical Synthesis and		Enothilones Microtubule
	tabilizing Agents with Enhanced Activity Ag		
	Chem. 21 st Century, Ed. Keinan, Wiley-VCH V		Con Emos and Tumors
	Danishefsky, et al., "En Route to a Plant Scal		ing Antitumor Agent
	2,13- Desocyepothilone B" Org. Letters, 2: 1		
	Danishefsky, et al., "On the Total Synthesis a		
	nd 15 (S) Aza-dEpoB: A Mitsunobu Inversio	n at C15 in Pre-Epothilon	Fragments" Org.
	etters, 2: 1637-1639, 2000.	A A 610	12 D 41'1
	Danishefsky, et al., "The Total Synthesis and An Unexpected Solvolysis Problem at C15,		
ı	Them., <b>65</b> (20): 6525-6533, 2000.	iviculated by Reliiote Sub	sitution at C21 J. Org.
	Danishefsky, et al "Subtle Variations in the	Long Range Transmission	of Stereochemical
	nformation: Matched and Mismatched Aldol		
2	000.		
	Danishefsky, et al., "Dianion Equivalents Co		pionate Domain of
	pothilone B" Tetrahedron Letters, 40: 2263-2		
	Danishefsky, et al., "Remarkable Long Range		face Selectivity in an
	Aldol Condensation" Tetrahedron Letters, 40:		175 1.1 ' 1
"	Danishefsky, et al., "The microtubule-stabilizerivatives induce mitotic arrest and apoptosis	zing agents epothilones A	and B and their desoxy-
	nd Prostatic Diseases, <b>2</b> : 41-52, 1999.	in numan prostate cancer	cens. Prostate Cancer
	Danishefsky, "New Chemical synthesis of the	e Promising Cancer Chem	otheraneutic Agent
	2,13-Desoxyepothilone B: Discovery of a Su		
D	Diastereoselective of an Aldol Condensation."	J. Am. Chem. Soc., 121: 7	² 050-7062, 1999.
*	Danishefsky, et al., "A Novel Aldol Condens	ation with 2-Methyl-4-Per	itenal and the
	application to an Improved Total Synthesis of	Epothilone B", Angew. C	them. Int. Ed. 37: 2675,
	998.		

FORM PTO-14	U.S. Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:
,		(SK-744-CON8)	Unassigned
	ON DISCLOSURE STATEMENT	APPLICANT: Danishefs	ky et al
(Use sev	eral sheets if necessary)	FILING DATE:	GROUP:
		October 28, 2003	
	*Danishefsky, et al., "Epothilones: Microtubi	ile Stabilizing Agents with	Enhanced Activity
	Against Multidrug-Resistant Cell Lines and		
	Therpaeutique, Vingt-cinqieme serie, Paul Eh		
	Elsevier, Paris, New York, 25: 187-206, 1999		
	*Danishefsky, et al., "The Synthesis and Eva		xyepothilone B: a
	Highly Convergent Route." Tetrahedron Lett		
	*Danishefsky, et al., "Complex Target Orient		iscovery Process: A
	Case History in the dEpoB Series" J. Org. Cl		umor Vanagrafia that
	*Danishefsky, et al., "Desoxyepothilone B is are Refractory to Pacilitaxel", <i>Proc. Nat. Acc</i>		unioi Achograns mai
	*Danishefsky, et al., "Remote Effects in Mac		Ring Forming Olefin
	Metathesis: An Application to the Synthesis	_	
	Chem. Soc. 119: 2733, 1997.	<u>-</u>	
	*Danishefsky, et al., "Total Synthesis of (-) -	•	
	Coupling Method and Insights into Structure	- Activity Relationships of	the Epothilones",
Angew. Chem. Int. Ed. 36: 757, 1997.			4 4 77 1 77
	*Danishefsky, et al., "Structure-Activity Rela		s and the First in Vivo
	Comparison with Paclitaxel", <i>Angew. Chem.</i> *De Brabander, et al., "Towards a Synthesis		embly of the C(1)-C(6)
	and C(7)-C(12) Fragments", Synlett, 7: 824-8		comony of the e(1)-e(0)
	*De Brabander, et al., "Towards a Synthesis		:328, 1998.
	*De Brabander, et al., "Towards a Synthesis	of Epothilone A. Rapid Ass	embly of the C(1)-C(6)
	and C(7)-C(12) Fragments" Synlett, 6: 692, 1		
	*Delbaldo, et al., Nouveaux medicamenets d	ans le cancer bronchique La	Presse Medicate, 31:
	802-809, 2002. *Denmark, et al., "Cyclopropanation with Di	ezomethane and Ric(Ovazo	line) Palladium(II)
	Complexes", <i>J. Org. Chem.</i> <b>62</b> :3375-3389, 1	•	mic) i anadium(ii)
	*Duthaler, et al., "Enantioselective Aldol Re-		Using Titanium-
	Carbohydrate Complexes", Angew. Chem. In		
	*End, et al., "Synthetic Epothilone Analogs		-
	the Heterocyclic Side-Chain-Synthesis and B	_	
	ECSOC-4, 1999, 2000, Meeting Date 1999-2		
	Molecular Diversity Preservation Internation 2000.	iai: Basei, Switz. 2000, Do	C. NO: 134:311010,
	*Essayan, et al., "Successful Parenteral Dese	nsitization to Paclitaxel" I	Allerov Clin Immunol
	97: 42-46, 1996.	instrization to 1 delitares, 5.	Thirty Citi. Immunot.
	*Finley, et al., "Metathesis vs. Metastasis: Tl	ne Chemistry and Biology o	of The Epothilones",
Chem. Ind. 24: 991-996, 1997.			
	*Florsheimer, et al., "Epothilones and Their	Analogues-A New Class of	Promising Microtubule
	Inhibitors"		
	Expert Opin. Ther. Pat., 11(6): 951-968, 200		
	*Frykman, et al., Control of Secondary Meta	•	ns via Modulation of the
	Dissolved Oxygen Tension, Biotechnol. Prog	g., <b>18</b> : 913-920, 2002.	

EODM PEO 14	40 710 7	A MINITED A CALLED	DIDE	
FORM PTO-14 (REV. 8-83)	49 U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2003080-0138	IN RE APPLICATION NO.:	
		(SK-744-CON8)	Unassigned	
INFORMATIO	N DISCLOSURE STATEMENT	APPLICANT: Danishefs	sky et al	
(Use seve	eral sheets if necessary)	FILING DATE:	GROUP:	
		October 28, 2003		
	*Fürstner, "Olefin Metathesis and Beyond", An	ngew. Chem. Int. Ed. Engl	. <b>39</b> : 3013-3043, 2000.	
	*Furstner, et al., "Concise Total Syntheses of I Chem. Commun., 12: 1057-1059, 2001.		•	
	*Geng, et al., "Design and Synthesis of De No Agents" Abstr. PapAm. Chem. Soc., 221st, M.	<i>EDI-130</i> , 2001		
	*Georg, et al, "Studies Toward the Synthesis 219 th ACS National Meeting, San Francisco, C	CA, March 26-30, MEDI-0	<i>75</i> , 2000.	
	*Gerlach, et al., "Synthesis of the C(7)-C(17) S Closing Metathesis Reaction", Synlett, 10: 110	8-1110, 1998	-	
	*Gerth, et al., "Studies on the Biosynthesis of Monooxygenase" <i>J. Antibiot.</i> , <b>54</b> (2): 144-148,	Epothilones: the PKS and 2001.	-	
	*Gerth, et al, "Epothilons A and B: Antifungacellulosum (Myxobacteria) Production, Physic of Antibiotics, 49-53, 1996.	o-chemical and Biological	1 Properties, <i>The Journal</i>	
	*Gerth, et al., "Studies on the Biosynthesis of Carbon Skeleton" <i>J. Antibiot</i> , <b>53</b> (12): 1373-13		hetic Origin of the	
	*Giannakakou, et al., "A Common Pharmacop Basis for Drug Resistance Conferred by Tubul Acad. Sci., 97(6): 2904-2909, 2000.	hore for Epothilone and T in Mutations in Human Ca	axanes: A Molecular ancer Cells" <i>Proc. Natl.</i>	
	*Griffin, et al., Molecular Determinants of Epo 2L/TRAIL-induced Apoptosis of Human Ovar 47, 2003.	othilone B Derivative (BM ian Cancer Cells, <i>Gynecol</i>	S 247550) and Apo- ogic Oncology, <b>89</b> : 37-	
	*Grubbs, et al., "Ring-Closing Metathesis and Chem. Res. 28: 446-452, 1995.	Related Processes in Orga	nic Synthesis" Acc.	
	*Gupta, et al., Understanding Tubulin-Taxol Into Yeast Tubulin <i>PNAS</i> , <b>100</b> : 5394-6397, 2003		t Impart Taxol Binding	
	*Hamashima, et al., "Highly Enantioselective ( Lewis Acid-Lewis Base Bifunctional Catalyst"	Cyanosilylation of Aldehy <i>Tetrahedron</i> , <b>57</b> (5): 805-	des Catalyzed by a 814, 2001.	
	*Hardt, et al., "New Natural Epothilones from Sorangium Cellulosum, Strains So ce90/B2 and So ce90/D13: Isolation, Structure Elucidation and SAR Studies" <i>J. Nat. Prod.</i> , <b>64</b> (7): 847-856, 2001.			
	*Harris, et al., Complex Target-Oriented Synthesis in the Drug Discovery Process: A Case History in the dEpoB Series <i>J. Org. Chem.</i> , <b>64</b> : 9434-8456, 1999.			
	*Harris, et al., New Chemical Synthesis of the 13-Desoxyepothilone B: Discovery of a Surpri- Diastereoselectivity of an Aldol Condensation	sing Long-Range Effect of J. Am. Chem. Soc., 121: 7	n the 050-7062, 1999.	
	*Hayward, et al. "Total Synthesis of Rapamyci Macrocyclization Reaction", J. Am. Chem. Soc	n via a Novel Titanium-M ., <b>115</b> : 9345-9346, 1993.	ediated Aldol	
1	*He, et al., Novel Molcules that Interact with Novel Elsevier Science Ltd. <i>DDT</i> , <b>6</b> : 1153-1	icrotubules and have Fun 164, 2001.	ctional Activity Similar	

FORM PTO-1449	U.S. Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.: Unassigned
INEODMATION DI	SCLOSURE STATEMENT	(512 / 1. 652.65)	
	heets if necessary)	APPLICANT: Danishefsky et al	
(Ose severai si	iceis if necessary)	FILING DATE:	GROUP:
,   \pu_T	4 1 (O) - 1 No 1 - 1 - 1 - 4 - 4 Total - 4 - 4 Total	October 28, 2003	Functional Activity
Simil	et al "Novel Molecules that Interact wit ar to Taxol" <i>Drug Discovery Today</i> , 6(22)	2): 1153-1164,2001.	
Activ 2000.		3 Side Chain" Biochemisti	ry, 39(14): 3972-3978,
	Yun et al., "Total Synthesis and Biologic arch Institute Order No.: DA9966202 Fr		
2001.			
	le, et al., "Epothilone A-D and Their Thiats, Pure Appl. Chem., 71: 2019-2024, 19		s Novel Anticancer
*Hol	land, M., "1. The Synthesis of a Cyclopro	ppyl Taxane Analog via S	equential Diels-Alder
React	tions. 2. The Design and Synthesis of N	ovel Epothilone Analogs'	'University of
	sylvania Order No.: DA9953544 From:		
Abstr	land, et al., "Design, Synthesis and Biolo racts, 215th ACS National Meeting, Dalla	as, March 29-April 2, OR	GN-015.
Isola	le, et al., <i>Epothilone A and B – Novel 16-tion, Crystal Structure, and Conformatio</i> -1569, 1996.		
*Hof	le, et al., "N-Oxidation of Epothilone A-tituted Epothilones" <i>Angew. Chem. Int. E</i>		
*Inot	ne, et al., "Design and Synthesis of Taxoi National Meeting, Boston, August 23-27	d-Epothilone Hybrids", B	
	, "Some Recent Applications of Olefin N. l. A: Chem, 133(1-2): 1998	fetathesis in Organic Synt	thesis: A Review", J. Mo
*Jaer	nicke, L., "Epothilone from Amphora" Co	hem. Unserer Zeit (Germa	<i>in</i> ), <b>34</b> (4): 257, 2000.
	g, et al., "Advances in Research on Nov hilones" Tianran Chanwu Yanjiu Yu Kaifa		
*Johi	nson, et al "Synthesis, Structure Proof, a opropanes" <i>Org. Lett</i> , <b>2</b> : 1537-1540, 200	and Biological Activity of	
*Juli	en, et al., "Isolation and Characterization agium Cellulosum" <i>Gene</i> , <b>249</b> (1-2): 153-	of the Epothilone Biosyn	thetic Gene Cluster from
2823	esse, et al., "The Formal Total Synthesis, 1999.	_	
Marc	r, et al., "Epothilones" Book of Abstracts th 26-30, ORGN-288, 2000.		
Epotl	h, et al., Diastereoselective Titanium Enchilones <i>Organic Letters</i> , <b>2</b> (22): 3811-381	4, 2002.	
	sche, et al., "Diastereoselective Cobalt-Cochem. Soc. 123: 5112-5113, 2001.	atalyzed Aldol and Micha	el Cycloreductions" J.

FORM PTO-1449	U.S. Department of Commerce	ATTY. DOCKET:	IN RE		
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:		
,	·	(SK-744-CON8)	Unassigned		
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefs	APPLICANT: Danishefsky et al		
(Use several she	ets if necessary)	FILING DATE:	GROUP:		
		October 28, 2003			
*Lee. e	t al., "BMS-247550: A Novel Epothilo	one Analog with a Mode of	f Action Similar to		
	tel but Possessing Superior Antitumor				
Bull. Ke	t al., "Synthesis of the C11-C21 and C orean Chem. Soc., <b>21</b> (12): 1177-1178,	2000.			
C10 and	t al., "Synthesis Toward Epothilone A: d the Allylic Bromide of C11-C21" Bu	ll. Korean Chem. Soc., 20(	(4): 403-404, 1999.		
	t al., "Insights into Long-Range Structusations: A Practical Total Synthesis of 001.				
Unexpe	t al., "Total Synthesis and Antitumor Acted Solvolysis Problem at C15, Medie 65: 6525-6533, 2000.	ated by Remote Substitution	on at C21" J. Org.		
	al., "Synthesis of a Novel Epothilone Em. Chem. Soc. 221 st , MEDI-137, 2001	3 Analog as a Potential Pho	otoaffinity Label" Abstr.		
*Li, et a	*Li, et al., "Process Development of the Semisynthesis of a Biologically Active Epothilone Analogue"				
	ets of Papers, 222 nd ACS National Mee				
	al., "Antimitotic Agents" Annu. Rep. M	·	·		
	*Lichtner, et al., "Subcellular Distribution of Epothilones in Human Tumor Cells" <i>Proc. Natl. Acad. Sci. U.S.A.</i> , <b>98</b> (20): 11743-11748, 2001.				
Pharma	t al., "Design, Synthesis and SAR of N cophore for Microtubule-Stabilizing A g, Anaheim, CA, March 21-25, MEDI-0	agents" Book of Abstracts,			
*Lin, et	t al., "Design and Synthesis of Taxoid- ational Meeting, Boston, August 23-27	Epothilone Hybrids" Book	of Abstracts, 216th		
l '	*List, et al., "Proline-Catalyzed Direct Asymmetric Aldol Reactions" J. Am. Chem. Soc. 122: 2395-2396, 2000.				
	*Liu, et al., Total Synthesi of Epothilone A through Stereospecific Epoxidation of the p-Methoxybenzyl Ether of Epothilone C <i>Chem.Eur. J.</i> , <b>8</b> (16): 3747-3756, 2002.				
I -	*Liu, et al., "Epoxide Opening with Acetylide for Synthesis of Epothilone A C7-21 Segment", Tetrahedron Lett. 39(29): 5261-5264, 1998.				
	*Liu, et al., "Synthesis of the C11-16+C27 Segment of Epothilone A", Chin. Chem. Lett.9(1): 35-38, 1998.				
i i	njewski, et al., "Chemoenzymic Synthe 169-1472, 1999.	esis of Key Epothilone Fra	gments" Synthesis (Spec.		
*Martir	n, et al., Marshall, "Total Synthesis of l	Epothilone", Nat. Biotechn	ol. <b>15</b> (3): 205, 1997.		
Synthes Chem.	n, et al "The 12,13-diol Cyclization Asis of Epothilone B and the Synthesis of Eur. J, <b>42</b> (47): 8373-8377, 2001	f a Conformationally Rest	rained Analog"		
	n, "How Stable are Epoxides? A Nove 581-583, 2000.	el Synthesis of Epothilone l	B" Angew. Chem. Int. Ed		

FORM PTO-1449	U.S. Department of Commerce	ATTY. DOCKET:	IN RE	
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:	
		(SK-744-CON8)	Unassigned	
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al		
(Use several she	ets if necessary)	FILING DATE:	GROUP:	
		October 28, 2003		
*May, e	et al., "Total Synthesis of (-) Epothilon	e B", Chem. Commun., 95	: 1369-1374, 1998.	
*McDai	d, et al., Validation of the Pharmacody	mamics of BMS-247550, a	an Analogue of	
	one B, During a Phase I Clinical Study			
	Dongfang, et al., "Chapter I: The Firs			
Univers	II: The First Total Syntheses of 12-ep	oi-CP-263,114 and 12-epi-	CP-225,917" Columbia	
	No.: DA9949022 From: Diss. Abstr. In	nt., B2000, <b>60</b> (10), 5096 (	1999)	
	r, et al., "The Biosynthetic Gene Clust			
	ones A and B from Sorangium Cellulos			
	r, et al., "Epothilone B and its Derivativ			
	is and Biological Evaluation" Monatsh			
2000.	r, et al., "Total Syntheses of Epothilon	es B and D" J. Org. Chem.	, <b>65</b> (22); 7456-7467,	
	r, et al., "A Novel Highly Stereoselecti	ve Total Synthesis of Fno	thilone R and of its	
	R) Acetonide" Tetrahedron Lett, 41(4)		unione b and of its	
	r, et al., "Synthesis of the C(11)-C(20)		Macrolide Epothilone	
	B", Tetrahedron Letters", <b>38</b> (44): 7725-7728, 1997.			
	*Mulzer, et al "Easy Access to the Epothilone Family-Synthesis of Epothilone B", Tetrahedron			
	39(47): 8633-8636, 1998. r, "Progress in the Synthesis of Chiral"	Heterocyclic Notural Prod	usts: Enothilone D and	
	on B" J. Heterocycl. Chem., 36(6): 142		ucts. Epotimone B and	
	nura, S., "Total Synthesis of Antitumor		ving Same Mechanism	
of Actio	of Action with Taxol", Kagaku (Kyoto)", (In Japanese) 52(7): 70-71, 1997.			
	*Newman, et al., "Antitumor Efficacy of 26-Fluoroepothilone B Against Human Prostate Cancer			
	afts" Cancer Chemother. Pharmacol.,		6. 1'. ' C/I	
Epothile	ou, et al., Recent Developments in the	Chemistry, Biology and N	ledicine of the	
l ±	Commun., 1523-1535, 2001.			
	ou, et al., "Synthesis and Biological Ev	valuation of 12, 13-cyclopi	opyl and 12,13-	
	tyl Epothilones"	• •	••	
ChemBi	oChem (Angew. Chem. Int. Ed. Engl.),	<b>2</b> (1): 69-75, 2001.		
	ou, et al., "Recent Developments in the		Medicine of the	
	ones" Chem. Commun., 17: 1523-1535,		and trans 12.12	
cyclopro	*Nicolaou, et al "Chemical Synthesis and Biological Evaluation of cis- and trans-12,13-cyclopropyl and 12,13-cyclobutyl Epothilones and Related Pyridine Side Chain Analogues" J.			
	em. Soc., <b>123</b> (38): 9313-9323, 2001.			
	ou, et al., "Synthesis of 16-desmethyle			
Commu	Highly Selective and Convergent Construction, 6: 519-520, 1999.		-	
*Nicola	ou, et al., "Total Synthesis of 16-Desm	ethylepothilone B, Epothi	lone B10, Epothilone F,	
and Rela 2000.	and Related Side Chain Modified Epothilone B Analogues", Chem. Eur. J., 6(15): 2783-2800, 2000.			

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)  *Nicolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones" Chem. Biol.7(3): 593-599, 2000.  *Nicolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones" Pure Appl. Chem., 71(6): 989-997, 1999.  *Nicolaou, K.C. et al. "Synthesis and Biological Properties of Cl2,13-Cyclopropyl-Epothilone A and Related Epothilones" (Chem. Biol.7(6): 898-997, 1999.  *Nicolaou, K.C. et al. "Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Total Synthesis of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Ppothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., "Total Synthesis of Ppothilones and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "Sing-Closing Metathesis and Flower Medical Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., Synthesis of Epothilones:	FORM PTO-14	U.S. Department of Commerce	ATTY. DOCKET:	IN RE	
Nicolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones"   APPLICANT: Danishefsky et al	(REV. 8-83)	Patent and Trademark Office	2003080-0138		
**Ricolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones" **Chem. Biol. 1(8): 593-599, 2000.  **Nicolaou, et al., "Chemistry, Biology and Medicine of Selected Tubulin Polymerizing Agents" **Pure Appl. Chem., 71(6): 989-997, 1999.  **Nicolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" **Chem. Biol., 5(7): 365-372, 1998.  **Nicolaou, et al., "Total Synthesis of Epothilone, Agnew. Chem., 110: 2120-2153, 1998.  **Nicolaou, et al., "Probing the Ring Size of Epothilone, Agnew. Chem., 110: 2120-2153, 1998.  **Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," **Angew. Chem. Int. Ed., 37: 81-87, 1998.  **Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" **Angew. Chem. Int. Ed., 110: 85-92, 1998.  **Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" **Angew. Chem. Int. Ed., 110: 85-92, 1998.  **Nicolaou, et al., "Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  **Nicolaou, et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", **Chem. Commun. 2343-2344 (1997)**  **Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  **Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  **Nicolaou, et al., "The Olefin Methathesis Approach to Epothilones and Polyether Natural Products" **Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  **Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  **Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  **Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 39			(SK-744-CON8)	Unassigned	
*Nicolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones"  *Chem. Biol.*7(8): 593-599, 2000.  *Nicolaou, et al., "Chemistry, Biology and Medicine of Selected Tubulin Polymerizing Agents"  *Pure Appl. Chem., 71(6): 989-997, 1999.  *Nicolaou, et al., "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" (*Chem. Biol., 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" *Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., Chemie und Biologic der Epothilone, *Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-,"  *Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" *Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", *Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", *Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "The Olefin Methathesis in the Synthesis of Epothilones and Polyether Natural Products" *Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", *J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, *Chem. Commun.	INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefs	sky et al	
*Nicolaou, et al., "Chemical Synthesis and Biological Properties of Pyridine Epothilones" Chem. Biol. 7(8): 593-599, 2000.  *Nicolaou, et al., "Chemistry, Biology and Medicine of Selected Tubulin Polymerizing Agents" Pure Appl. Chem., 71(6): 989-997, 1999.  *Nicolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" Chem. Biol, 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Drobing the Ring Size of Epothilone. Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," Angew. Chem. Int. Ed. 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed. 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization s	(Use sev	veral sheets if necessary)	FILING DATE:	GROUP:	
Chem. Biol. 7(8): 593-599, 2000.  *Nicolaou, et al., "Chemistry, Biology and Medicine of Selected Tubulin Polymerizing Agents" Pure Appl. Chem., 71(6): 989-997, 1999.  *Nicolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" Chem. Biol., 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., Chemie und Biologie der Epothilone, Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nicolaou, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Ant			October 28, 2003		
*Nicolaou, et al., "Chemistry, Biology and Medicine of Selected Tubulin Polymerizing Agents" *Pure Appl. Chem., 71(6): 989-997, 1999.  *Nicolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" *Chem. Biol., 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" *Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., Chemie und Biologie der Epothilone, *Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-,[17]-," *Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" *Angew. Chem. Int. Ed., 10: 85-92, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" *Angew. Chem. Int. Ed., 10: 85-92, 1998.  *Nicolaou, K.C. et al., "Total Synthesis of Epothilone B and related analogues", *Chem. Commun. 2343-2344 (1997)  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", *Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" *Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", *J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 390: 100, 1997.  *Nicolaou, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Ab		*Nicolaou, et al., "Chemical Synthesis and Bio	ological Properties of Pyric	dine Epothilones"	
**Pricolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" *Chem. Biol, 5(7): 365-372, 1998.  **Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" *Bioorg. Med. Chem., 7(5): 665-697, 1999.  **Nicolaou, et al., "Chemie und Biologie der Epothilone, *Agnew. Chem., 110: 2120-2153, 1998.  **Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," *Angew. Chem. Int. Ed. 37: 81-87, 1998.  **Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" *Angew. Chem. Int. Ed 110: 85-92, 1998.  **Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", *Farumashia, 33(12): 1339-1345, 1997.  **Nicolaou, et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", *Chem. Commun. 2343-2344 (1997)  **Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  **Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" *Top. Organomet. Chem. I (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  **Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", *J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 390: 100, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 390: 100, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 390: 100, 1997.  *Nicolaou, et al., "Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" *Book of Abstracts, 210th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.					
*Nicolaou, K.C. et al. "Synthesis and Biological Properties of C12,13-Cyclopropyl-Epothilone A and Related Epothilones" Chem. Biol, 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Probing the Ring Size of Epothilone. Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 208-272, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nijaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents, Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for C			edicine of Selected Tubulii	n Polymerizing Agents"	
and Related Epothilones" Chem. Biol. 5(7): 365-372, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 1999.  *Nicolaou, et al., "Probing the Ring Size of Epothilone. Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-,"  Angew. Chem. Int. Ed., 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219" ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-426			al Properties of C12 13-C	volonronyl-Fnothilone A	
*Nicolaou, et al., "Total Synthesis of Epothilone E and Related Side-Chain Modified Analogues via a Stille Coupling Based Strategy" Bioorg. Med. Chem., 7(5): 665-697, 102120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-,"  Angew. Chem. Int. Ed. 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone: Total Synthesis of [14]-, [15]-, [17]-,"  Angew. Chem. Int. Ed. 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. I (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nicolaou, et al., "Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., A Common Pharamcophore for Gytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "The Role of the				yelopropyi-Epolimone 11	
*Nicolaou, et al., Chemie und Biologie der Epothilone, Agnew. Chem., 110: 2120-2153, 1998.  *Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-," Angew. Chem. Int. Ed., 37: 81-87, 1998  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nijaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am. J. Respir. Cell Mol. Biol., 28: 574				ain Modified Analogues	
*Nicolaou, et al., "Probing the Ring Size of Epothilone: Total Synthesis of [14]-, [15]-, [17]-,"  *Angew. Chem. Int. Ed, 37: 81-87, 1998.  *Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" *Angew. Chem. Int. Ed., 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", *Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", *Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Chemical Biology of Epothilones", *Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "The Olefin Methathesis in the Synthesis of Epothilones and Polyether Natural Products" *Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", *J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", *Nature, 390: 100, 1997.  *Njaardarson, et al., "Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, *Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" *Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules *Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" *Tetrahedron, 56(40): 7859-7868, 2000.					
*Nicolaou, et al., "Total Synthesis of Epothilone E and Analogues with Modified Side Chains through the Stille Coupling Reaction" Angew. Chem. Int. Ed 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharameophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "A Common Pharameophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al., Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium		, , , , , , , , , , , , , , , , , , ,		<u> </u>	
through the Stille Coupling Reaction" Angew. Chem. Int. Ed 110: 85-92, 1998.  *Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nijaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Pradella, et al. Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			pothilone: Total Synthesis	of [14]-, [15]-,[17]-,"	
*Nicolaou, et al., Intellectual Screening of Natural Products for Drugs", Farumashia, 33(12): 1339-1345, 1997.  *Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. I (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., A nunsual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J. Respir Cell Mol. Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium					
*Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Nijardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J. Respir Cell Mol. Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium		through the Stille Coupling Reaction" Angew.	Chem. Int. Ed., 110: 85-92	2, 1998.	
*Nicolaou, K.C. et al., "Total Synthesis of 26-hydroxyepothilone B and related analogues", Chem. Commun. 2343-2344 (1997)  *Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			tural Products for Drugs",	Farumasnia, <b>33</b> (12):	
*Nicolaou, et al., "Chemical Biology of Epothilones", Angew. Chem. Int. Ed., 37: 2014-2045, 1998.  *Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. I (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am. J. Respir. Cell Mol. Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			hydroxyepothilone B and	related analogues".	
*Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219 th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "A common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al., Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			,, -p	, ,	
*Nicolaou, et al., "Ring-Closing Metathesis in the Synthesis of Epothilones and Polyether Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium					
Natural Products" Top. Organomet. Chem. 1 (Alkene Metathesis in Organic Synthesis)1: 73-104, 1998.  *Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am. Chem. Soc. Doc. 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al., An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			41 - C41! CT41!1-		
*Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", <i>J. Am. Chem. Soc. Doc.</i> 119(34): 7960-7973, 1997.  *Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", <i>Nature</i> , 387: 268-272, 1997.  *Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", <i>Nature</i> , 390: 100, 1997.  *Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, <i>Chem. Commun.</i> , 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" <i>Book of Abstracts</i> , 219 th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" <i>Tetrahedron</i> , 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am. J. Respir. Cell Mol. Biol.</i> , 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium				= -	
<ul> <li>Chem. Soc. Doc. 119(34): 7960-7973, 1997.</li> <li>*Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387: 268-272, 1997.</li> <li>*Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.</li> <li>*Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.</li> <li>*Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.</li> <li>*Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.</li> <li>*Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.</li> <li>*Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.</li> <li>*Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium</li> </ul>			Timene metamesis in orge	e symmests/1. 75 10 1,	
<ul> <li>268-272, 1997.</li> <li>*Nicolaou, et al., "Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 390: 100, 1997.</li> <li>*Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.</li> <li>*Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.</li> <li>*Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.</li> <li>*Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.</li> <li>*Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J. Respir. Cell Mol. Biol., 28: 574-581, 2003.</li> <li>*Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium</li> </ul>		*Nicolaou, et al., "The Olefin Methathesis Approach to Epothilone A and its Analogs", J. Am.			
*Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the epothilone series: novel epothilone analogs by total synthesis, Chem. Commun., 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium		*Nicolaou, et al., Synthesis of Epothilones: A and B in Solid and Solution Phase", Nature, 387:			
epothilone series: novel epothilone analogs by total synthesis, <i>Chem. Commun.</i> , 2759-2761, 2002.  *Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" <i>Book of Abstracts</i> , 219 th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" <i>Tetrahedron</i> , 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			A and B in Solid and Soluti	on Phase", Nature, 390:	
*Ojima, et al., "New-Generation Taxoids and Hybrids of Microtubule-Stabilizing Anticancer Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium		*Njaardarson, et al., Application of hitherto unexplored macrocyclization strategies in the			
Agents" Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-245, 2000.  *Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium					
*Ogima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules *Proc. Natl. Acad. Sci. U.S.A., 96: 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" *Tetrahedron, 56(40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" *Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium					
*Ojima, et al., "A Common Pharamcophore for Cytotoxic Natural Products that Stabilize Microtubules <i>Proc. Natl. Acad. Sci. U.S.A.</i> , <b>96</b> : 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" <i>Tetrahedron</i> , <b>56</b> (40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , <b>28</b> : 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium		<del>-</del>	u Meeting, San Francisco,	CA, March 26-30,	
Microtubules <i>Proc. Natl. Acad. Sci. U.S.A.</i> , <b>96</b> : 4256-4261, 1999.  *Panicker, et al An unusual Reversal of Stereoselectivity in a Boron Mediated Aldol Reaction: Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" <i>Tetrahedron</i> , <b>56</b> (40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , <b>28</b> : 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium					
Enantioselective Synthesis of the C1-C6 Segment of the Epothilones" <i>Tetrahedron</i> , <b>56</b> (40): 7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , <b>28</b> : 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			•	THE TWO INDIANA	
7859-7868, 2000.  *Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			•		
*Petrache, et al., "The Role of the Microtubules in Tumor Necrosis Factor-a-Induced Endothelial Cell Permeability" <i>Am.J.Respir.Cell Mol.Biol.</i> , <b>28</b> : 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			nent of the Epothilones" Te	etrahedron, <b>56</b> (40):	
Cell Permeability" Am.J.Respir.Cell Mol.Biol., 28: 574-581, 2003.  *Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium			es in Tumor Necrosis Foot	or-a-Induced Endothelial	
*Pradella, et al Characterisation, Genome Size and Genetic Manipulation of the Myxobacterium				or-a-muuccu emuumenal 	
Sorangium Cellulosum So ce56, Archives of Microbiology, 1-17, 2002.				on of the Myxobacterium	
				•	

FORM PTO-14	U.S. Department of Commerce	ATTY. DOCKET:	IN RE
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:
		(SK-744-CON8)	Unassigned
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al	
(Use sev	eral sheets if necessary)	FILING DATE:	GROUP:
		October 28, 2003	
	*Pryor, et al., The Microtubule Stabilizing Age	ent Laulimalide Does Not	Bind in the Taxoid Site,
	Kills Cells Resistant to Paclitaxel and Epothilo Activity <i>Biochemistry</i> , <b>41</b> : 9109-9115, 2002.	ones, and May Not Require	e Its Epoxide Moiety for
	*Quitschalle, et al., "Improved Synthesis of th Sharpless Asymmetric Dihydroxylation" <i>Tetro</i>	ahedron Letters., 40(44): 7	765-7768, 1999.
	*Regentin, et al., "Development of a Cost Effe Xanthus" Abstr. Pap-Am. Chem. Soc. 221 st , Bl	<i>OT-061</i> , 2001.	
	*Regentin, et al., Nutrient Regulation of Epoth Production Strains Appl Microbiol Biotechnol	, <b>61</b> : 451-455, 2003.	
	*Regueiro-Ren, et al., "Synthesis and Biologic <i>Lett.</i> , <b>3</b> (17): 2693-2696, 2001.	_	· ·
	*Regueiro-Ren, et al., SAR and pH Stability o 4(22): 3815-3818, 2002.		<del>-</del>
	*Reiff, et al., "Progress Toward Total Synthes 215th ACS National Meeting, Dallas, March 2	9-April 2, ORGN-086	
	*Rivkin, et al., Complex Target-Oriented Tota	l Synthesis in the Drug Di	scovery Process: The
	Discovery of a Highly Promising Family of Se 125: 2899-2901, 2003.		
	*Rivkin, et al., Total Syntheses of [17]- and [1 Ring-Closing Metathesis-Based Strategy: Corn the Epothilone Series <i>J. Org. Chem.</i> , <b>67</b> : 7737	relation of Ring Size with	ones B via a Consise Biological Activity in
	*Rivkin, et al., On the Introduction of a Triflu Chemical Issues Related to Ring Forming Ole Organic Letters, 4(23): 4081-4084, 2002.	oromethyl Substituent in t	he Epothilone Setting: Biological Findings
	*Santi, et al., "An Approach for Obtaining Per Polyketide Synthase Genes: A Search for the 2000.		
	*Sawada, et al., "Enantioselective Total Synth Asymmetric Catalysis" Angew. Chem. Int. Ed.		g Multifunctional
	*Sawada, et al., "Enantioselective Total Synth Asymmetric Catalysis" J. Am. Chem. Soc., 122	2(43): 10521-10532, 2000.	
	*Schrock, Olefin Metathesis by Well-Defined		-
	*Sefkow, et al., "Derivatization of the C12-C1 Bioorg. Med. Chem., 8: 3031-3036, 1998.		
	*Sefkow, et al., "Oxidative and Reductive Transchem. 8(21): 3025-3030, 1998.		
	*Sefkow, et al., "Substitutions at the Thiazole 2485-2488, 1998.	· ·	
	*Schinzer, et al., "Total Synthesis of (-)-epothi		-
	*Schinzer, et al., "Total Synthesis of (-)-epothi		i i
	*Schinzer, et al "Synthesis and Biological Ev Ed. ChemBiochem, 1(1): 67-70, 2000.	aluation of Aza-Epothilon	es" Angew. Chem. Int.

FORM PTO-1	U.S. Department of Commerce	ATTY. DOCKET:	IN RE		
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:		
		(SK-744-CON8)	Unassigned		
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefsky et al			
(Use se	veral sheets if necessary)	FILING DATE:	GROUP:		
		October 28, 2003			
	*Schinzer, et al., "Synthesis of Epothilones. St 861-864, 1998.	tereoselective Routes to Ep	oothilone B" Synlett, 8:		
	*Schinzer, Interview: Epothilones-New Prom	ising Microtubule-Stabiliz	ing Products with		
	Taxol-like Biological Activity, ECC Braunsch		ing i roduots with		
	*Schinzer, et al., "New and Convenient Synthe	esis of ® and (S) of 2-met	nyl-3-oxa-5-(tert-		
	butyldiphenylsilyloxy)methylpentanoate and 2-methyl-3-oxa-5-(tert-butyldimethylsiloxy)methylpentanoate" <i>Phosphorus, Sulfur Silicon Relat. Elem.</i> , <b>158</b> : 187-199,				
	2000.  *Schneider, et al., Utilzation of Alternate Subs	strates by the First Three N	Modulas of the		
	Epothilone Synthetase Assembly Line J. Am. (				
	*Scholl, et al., "Increased Ring Closing Metatl				
	Metathesis Catalysts Coordinated with Imidazolin-2-Ylidene Ligands" <i>Tetrahedron Lett.</i> <b>40</b> : 2247, 1999.				
	*Scudiero, et al., Evaluation of a Soluble Tetra	azolium/Formazan Assay	for Cell Growth and		
	Drug Sensitivity in Culture Using Human and Other Tumor Cell Lines, <i>Cancer Research</i> , <b>48</b> : 4827-4833, 1988.				
	*Shibasaki, et al., "Multifunctional Asymmetr 2001.				
	*Shioji, et al., "Synthesis of C1-C6 Fragment for Epothilone A via Lipase-Catalyzed Optical Resolution" <i>Synth. Commun.</i> , <b>31</b> (23): 3569-3575, 2001.				
	*Sinha, et al., "The Antibody Catalysis Route to the Total Synthesis of Epothilones" <i>Proc. Natl. Acad. Sci.</i> . <b>95</b> (25): 14603-14608, 1998.				
	*Sinha, et al., "Catalytic Antibody Route to the Naturally Occurring Epothilones: Total Synthesis of Epothilones A-F" <i>Chem. Eur. J.</i> , 7(8): 1691-1702, 2001.				
	*Sinha, et al "Total Synthesis of Epothilones and Some 14-Flouroanalogs via Antibody Catalysis"				
	Book of Abstracts, 217th ACS National Meeting, Anaheim, CA, March 21-25, ORGN-054				
	*Sinha, et al., "Synthesis of Epothilone Analog	gues by Antibody-Catalyzo	ed Resolution of		
	Thiazole Aldol Synthons on a Multigram Scale. Biological Consequences of C-13 Alkylation				
	Epothilones" <i>ChemBioChem</i> , <b>2</b> (9): 656-665, 2001.  *Sinha, et al., "Sets of Aldolase Antibodies with Antipodal Reactivities. Formal Synthesis of				
	Epothilone E by Large Scale Antibody-Catalyz				
	1(10): 1623-1626, 1999.	Low resolution of Timazon	rindoi Oig. Lell.,		
	*Sinha, et al., "Regioselective Synthesis of Flu	oro Aldols. Studies Towa	rd Fluro Epothilones		
	Syntheses via Antibody Catalysis" Tetrahedro	n Letters, 41(43): 8243-82	46, 2000.		
	*Skehan, et al., New Colorimetric Cytotoxicity the National Cancer Institute, 82: 1107-1112,	1990.	-		
	*Smart, Fluorine Substituent Effects (on bioact 2001.	tivity) Journal of Fluorine	Chemistry, 109: 3-11,		
	*Stachel, et al., "The Epothilones, Eleutherobin Pharm. Des., 7(13): 1277-1290, 2001.	ns, and Related Types of N	Molecules" Curr.		
	*Stachel, et al., "Chemo- and Stereoselective E 2,2'-dimethyldioxirane" <i>Tetrahedron Lett.</i> , <b>42</b> (	Epoxidation of 12,13-Deso (39): 6785-6787, 2001.	xyepothilone B using		
		,	<del></del>		

FORM PTO-14	49 U.S. Department of Commerce	ATTY. DOCKET:	IN RE		
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:		
		(SK-744-CON8)	Unassigned		
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefs	sky et al		
(Use sev	eral sheets if necessary)	FILING DATE:	GROUP:		
		October 28, 2003			
	*Still, et al., "Stereoselective Synthesis of 1,3-	Diol Derivatives and App	lication to the Ansa		
	Bridge of Rifamycin S" J. Am. Chem. Soc. 105				
	*Su, et al., Structure – Activity Relationships	<del>-</del>			
	Comparison with Paclitaxel Angew. Chem. Int *Tamao, et al., "Selective Carbon-Carbon Bor				
	Reagents with Organic Halides. Catalysis by N				
	*Tang, et al., "Cloning and Expression of the 2000.	Epothilone Gene Cluster"	Science, <b>287</b> : 640-642,		
	*Tang, et al., "Generation of Novel Epothilone Biotransformation The Journal of Antibiotics,		Activity by		
	*Tanimori, et al., "Simple Synthesis of Both E Epothilones" <i>Biosci. Biotechnol. Biochem</i> , 620		2 Segment of		
	*Tanimori, et al., "Easy Access to Both Enan Commun., <b>29</b> (24): 4353-4360, 1999.	tiomers of C7-C12 Segme	nt of Epothilones" Synth.		
	*Taylor, et al., "Total Synthesis of Epothilone	es B and D" Org. Lett., 3(1	4): 2221-2224, 2001.		
	*Taylor, et al., "The Identification of the Biologically Active Conformation of Epothilone" Book of Abstracts, 217th ACS National Meeting, Anaheim, CA, March 21-25, ORGN-041				
	*Taylor, et al., "The Conformational Properties 5449, 2000.				
	*Taylor, et al., "Conformational Properties of 1999.				
	*Taylor, et al., Catalytic Diastereoselective Re				
	Interdependent Reaction Variables by Arrayed Catalyst Evaluation, J. Am. Chem. Soc., 121: 12202-12203, 1999.				
	*Taylor "A Formal Total Synthesis of Epothil and C7-C12 Fragments" J. Org. Chem., 63(25)		Preparation of the C1-C6		
	*Ter Haar, et al., "Taxanes and Other Microtu <b>8</b> (5): 571-586, 1998.	bule Stabilizing Agents" I	Expert. Opin. Ther. Pat.,		
	*Trnka, et al., "The Development of L ₂ X ₂ Ru=		atalysts: An		
	Organometallic Success Story", <i>Acc. Chem. I</i> *Trnka, et al., The Development of L2X2Ru=		atalysts: An		
	Organometallic Success Story Acc. Chem.Res *Valluri, et al., "Total Synthesis of Epothilone		7-3609 2001		
	*Victory, et al., "Development of an Epothilo	ne Pharmacophore" Book			
	National Meeting, Dallas, March 29-April 2, 18 *Vite, et al., "Epothilones A and B: Springbo		Promising Antimitotic		
	Agents"  Book of Abstracts, 219 th ACS National Meetin 2000.				
	*Von Angerer, E"Tubulin as a Target for Ant 3(5): 575-584, 2000.	icancer Drugs" Curr. Opin	a. Drug Discovery Dev.,		

FORM PTO-14	U.S. Department of Commerce	ATTY. DOCKET:	IN RE		
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:		
		(SK-744-CON8)	Unassigned		
INFORMATION DISCLOSURE STATEMENT		APPLICANT: Danishefs	sky et al		
(Use several sheets if necessary)		FILING DATE:	GROUP:		
		October 28, 2003			
	*Walsh, C. "Enzymatic Assembly of Hybrid		Pentide Natural		
3	Products" Abstracts of Papers, 222 nd ACS Na 126, 2001.				
	*Wessjohann, et al., "Synthesis of Natural-Prochem. Biol., 4: 303-309, 2000.	oduct-Based Compound Li	braries" Curr. Opin.		
	*Wessjohann, et al. "Synthetic Access to Epot Anticancer Activity" Org. Synth. Highlights I Weinheim Germany, 251-267, 2000	V Ed: Schmalz, H., Wiley-	VCH Verlab GmbH:		
	*White, et al., Total Synthesis of Epothilone Dehydroepothilone D, J. Am. Chem. Soc., 125		d trans-9, 10-		
	*White, "Total Synthesis of Epothilone B, Epothydroepothilone D" J. Am. Chem. Soc., 12	<b>3</b> (23): 5407-5413, 2001.			
	*White, et al., "Synthetic Approach Towards the Total Synthesis of Epothilone B" Book of Abstracts, 216th ACS National Meeting, Boston, August 23-27, ORGN-041				
	*White, et al., "Two Coupling Strategies for a of Abstracts, 219th ACS National Meeting, Sa	a Stereoselective Synthesis	of Epothilone B" Book		
	*White, et al., "A Highly Stereoselective Synthesis of Epothilone B" J. Org. Chem., 64(3): 684-685, 1998.				
	*White, et al., "Improved Synthesis of Epothilone B Employing Alkylation of an Alkyne for Assembly of Subunits" <i>Org. Lett.</i> , 1(9): 1431-1434, 1999.				
	*Winkler, et al., "A Model for the Taxol (Paclitaxel) Epothilone Pharmacophore", <i>Bioorg., Med. Chem. Letter</i> , <b>6</b> : 2963-2966, 1996.				
	*Winkler, et al., "Design and Synthesis of Constrained Epothilone Analogs: The Efficient Synthesis of Eleven-Membered Rings by Olefin Metathesis" <i>Tetrahedron</i> , <b>55</b> (27): 8199-8214, 1999.				
	*Winssinger, et al., "Epothilones and Sarcodictyins: From Combinatorial Libraries to Designed Analogs" <i>Book of Abstracts</i> , 219 th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-289, 2000.				
	*Wittmann, et al., Flavopiridol Down-Regulates Antiapoptotic Proteins and Sensitizes Human Breast Cancer Cells to Epothilone B-induced Apoptosis, Cancer Research, 63: 93-99, 2003.				
	*Wolff, A., "Epothilone A Induces Apoptosis in Neuroblastoma Cells with Multiple Mechanisms of Drug Resistance", <i>Int. J. Oncol.</i> , <b>11</b> (1): 123-126, 1997.				
	*Woltering, et al., Development of a Novel In Vitro Human Tissue-Based Angiogenesis Assay to Evaluate the Effect of Antiangiogenic Drugs, <i>Annals of Surgery</i> , <b>237</b> : 790-800, 2003.				
	*Yang, et al., "Total Synthesis of Epothilone <i>Int. Ed.</i> , <b>36</b> : 166-168, 1997.	A: The Olefin Metathesis A	Approach: Angew. Chem.		
	*Yoshimura, et al., Synthesis ad Conformatio Suggestive Link between the Chemistry and I 2518-2521, 2003.	Biology of Epothilones, An	gew. Chem. Int. Ed.42:		
	*Zhou, et al., Brominated Derivatives of Nose That Perturb Mitosis and Inhibit Cell Prolifer				
	*Zhu, et al., "Methodology Based on Chiral S				

FORM PTO-1449	U.S. Department of Commerce	ATTY. DOCKET:	IN RE	
(REV. 8-83)	Patent and Trademark Office	2003080-0138	APPLICATION NO.:	
		(SK-744-CON8)	Unassigned	
(Usa sayaral shoots if nacassam)		APPLICANT: Danishefsky et al		
		FILING DATE:	GROUP:	
		October 28, 2003		
Natural Products-Total Synthesis of Epothilone A" Eur. J. Org. Chem., 9: 1701-1714, 2001.				
	*Zhu, et al., "Studies Toward the Total Synthesis of Epothilone A" Book of Abstracts, 216 th ACS National Meeting, Boston, August 23-27, ORGN-660			
*Zhu, e	*Zhu, et al "Enzymatic Resolution of Thiazole-Containing Vinyl Carbinols. Synthesis of the C12-C21 Fragment of the Epothilones" <i>Tetrahedron Lett.</i> , <b>41</b> (12): 1863-1866, 2000.			
	*Zhu, et al "Studies Toward the Total Synthesis of Epothilone A" <i>Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March 26-30, ORGN-060, 2000.</i>			
*Zhu, e	*Zhu, et al., "Total Synthesis of Epothilone A" Org. Lett., 2(17): 2575-2578, 2000.			
EXAMINER		DATE CONSIL	DERED	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to

3605474

applicant.